

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1560	@ad<"20001221" and server same manage\$ same directory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:33
L2	791	@ad<"20001221" and server same manage\$ same directory and (information adj base or database) and (administrat\$ or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:34
L3	2570	@ad<"20001221" and server same manage\$ and directory and (information adj base or database) and (administrat\$ or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:34
L4	2529	@ad<"20001221" and server same manage\$ and directory and (information adj base or database) and (administrat\$ or consol\$) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:35
L5	1512	@ad<"20001221" and server same (client or node or apparatuses) same manage\$ and directory and (information adj base or database) and (administrat\$ or consol\$) and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:35
L6	1106	@ad<"20001221" and server same (client or node or apparatuses or terminal) same manage\$ same network and directory and (information adj base or database) and (administrat\$ or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:36
L7	1653	@ad<"20001221" and server same (client or node or apparatuses or terminal) same manage\$ and directory and (information adj base or database) and (administrat\$ or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:36
L8	785	@ad<"20001221" and server same (client or node or apparatuses or terminal) same manage\$ and directory same (information adj base or database) and (administrat\$ or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:36

L9	210	@ad<"20001221" and server same (client or node or apparatuses or terminal) same manage\$ and directory same (information adj base or database) same connect\$ and (administrat\$ or consol\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:37
L10	105	@ad<"20001221" and server same (client or node or apparatuses or terminal) same manage\$ and directory same (information adj base or database) same connect\$ and (administrat\$ or consol\$) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:58
L11	136	@ad<"20001221" and server same (client or node or apparatuses or terminal) and (manage\$ same monitor or control) and directory same (information adj base or database) same connect\$ and (administrat\$ or consol\$) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:58
L12	109	@ad<"20001221" and server same (client or node or apparatuses or terminal) and (manage\$ same (monitor or control)) and directory same (information adj base or database) same connect\$ and (administrat\$ or consol\$) same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:08
L13	4821489	@ad<"20001221" and server same (client or node or apparatuses or terminal) and directory same (information adj base or database) same connect\$ and (administrat\$ or consol\$) same request same (manage\$ same (monitor or control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:08
L14	39	@ad<"20001221" and server same (client or node or apparatuses or terminal) and directory same (information adj base or database) same connect\$ and (administrat\$ or consol\$) same request same (manage\$ same (monitor or control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:39

L15	109	@ad<"20001221" and server same (client or node or apparatuses or terminal) and directory same (information adj base or database) same connect\$ and (administrat\$ or consol\$) same request and (manage\$ same (monitor or control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:08
L16	140	@ad<"20001221" and server same (client or node or apparatuses or terminal) and (information adj base or database) same connect\$ with (data or information or relation\$) and (administrat\$ or consol\$) same request same (manage\$ same (monitor or control))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 10:39
L17	22	@ad<"20001221" and server same (client or node or apparatuses or terminal) and (information adj base or database) same connect\$ with (data or information or relation\$) and (administrat\$ or consol\$) same request same (manage\$ same (monitor or control)) with (client or node or apparatuses or terminal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:14
L18	0	@ad<"20001221" and proxy with server and load near monitor and manag\$ with load and notif\$ same (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:17
L19	0	@ad<"20001221" and proxy with server and load near monitor and manag\$ and notif\$ same (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:17
L20	2	@ad<"20001221" and proxy with server and load near monitor and manag\$ and (notif\$ or alarm or alert) same (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:17
L21	13	@ad<"20001221" and server and load near monitor and manag\$ and (notif\$ or alarm or alert) same (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:31

L22	13	@ad<"20001221" and server and load near monitor and (manag\$ or balance) and (notif\$ or alarm or alert) same (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:32
L23	92	@ad<"20001221" and server and load near monitor and (manag\$ or balance) and (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:32
L24	92	@ad<"20001221" and server and load near monitor and (manag\$ or balance) and (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:32
L25	9	@ad<"20001221" and load with balance\$ and (load or usage) near monitor and (manag\$ or balance) and (notif\$ or alarm or alert) same (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:33
L26	164	@ad<"20001221" and network with load near balanc\$ and monitor with (usage or traffic or load) and (threshold or limit)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:36
L27	107	@ad<"20001221" and network with load near balanc\$ and monitor with (usage or traffic or load) and (threshold or limit) and (notif\$ or alert or alarm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:36
L28	36	@ad<"20001221" and network with load near balanc\$ and monitor with (usage or traffic or load) and (threshold or limit) same (notif\$ or alert or alarm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:20
L29	30	@ad<"20001221" and network with load near balanc\$ and monitor with (usage or traffic or load) and (threshold) same (notif\$ or alert or alarm)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 14:39
L30	21	"6279001" and (limit or number) same request\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 16:20
S1	2	("20020083161").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/02 14:45

S2	302	@ad<"20001221" and network and client and server and directory and application and information adj base	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:46
S3	261	@ad<"20001221" and network and client and server and directory and application and information adj base and request and management and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:47
S4	6222	@ad<"20001221" and network and client and server and directory and application directory same information adj base and request and management and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:47
S5	23	@ad<"20001221" and network and client and server and directory and application and directory same information adj base and request and management and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 14:47
S6	18	@ad<"20001221" and network same client same server and directory and application and directory same information adj base and request and management and control	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:32
S7	6	@ad<"20001221" and network same client same server and directory and application and directory same information adj base and request and management and control and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:36
S8	1	@ad<"20001221" and network same (client or node or apparatuses) same server and directory and remote with control and directory same information adj base and request and management and control and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:37
S9	1	@ad<"20001221" and network same (client or node or apparatuses) same server and directory and remote with control and directory same information adj base and request and management and monitor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:53

S10	555891	@ad<"20001221" and network	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:54
S11	1516	@ad<"20001221" and network and directory and control same monitor same (device or node or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:54
S12	369	@ad<"20001221" and network and directory and control same monitor same manag\$ same (device or node or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:55
S13	143	@ad<"20001221" and network and directory same (information adj base or database)and control same monitor same manag\$ same (device or node or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 15:55
S14	143	@ad<"20001221" and network and directory same (information adj base or database) and control same monitor same manag\$ same (device or node or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:14
S15	2477	@ad<"20001221" and network and directory same (information adj base or database) and (control or monitor or manag\$) with (device or node or client)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:13
S16	2181	@ad<"20001221" and network and directory same (information adj base or database) and (control or monitor or manag\$) with (device or node or client) and manag\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:13
S17	1112	@ad<"20001221" and network and directory same (information adj base or database) and (control or monitor or manag\$) with (device or node or client) and manag\$ same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:13
S18	104	@ad<"20001221" and network and directory same (information adj base or database) and control same monitor same manag\$ same (device or node or client) and manag\$ same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:16

S19	28	@ad<"20001221" and network and directory same (information adj base or database) same connection\$ and control same monitor same manag\$ same (device or node or client) and manag\$ same request	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:50
S20	8	"092059"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:18
S21	0	JP092059	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:18
S22	0	A2000092059	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/02 16:18
S23	22	@ad<"20001221" and network and directory same (information adj base or database) same connection\$ and control same monitor same manag\$ same (device or node) and manag\$ and identif\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/12/03 09:32